



Conservation Halton Seed Mixes

May 2017



Conservation Halton, in partnership with the Ontario Seed Company (OSC), developed a variety of seed mixes that are appropriate for use within our watershed. These seed mixes are suitable for restoration purposes and naturalization projects as well as for stormwater management facilities. These mixes are designed for use in a variety of soil and moisture conditions.

Conservation Halton does not endorse any specific company but simply developed these seed mixes to assist and provide starting point. There may be many additional companies that will also carry the appropriate seed mixes and proponents can select any supplier to purchase their seed mixes. Conservation Halton recommends choosing a supplier who can obtain their seeds locally.

Conservation Halton Upland Dry Meadow Mix

Common Name	Botanical Name	Percentage of Mix (%)
Black Eyed Susan	<i>Rudbeckia hirta</i>	15
Big Bluestem	<i>Andropogon gerardii</i>	30
Blue Wood Aster	<i>Symphyotrichum cordifolius</i>	1
Canada Goldenrod	<i>Solidago canadensis</i>	8
Common Milkweed	<i>Asclepias syriaca</i>	5
Little Bluestem	<i>Schizachyrium scoparium</i>	30
New England Aster	<i>Symphyotrichum novae-angliae</i>	1
Virgins Bower	<i>Clematis virginiana</i>	5
Wild Bergamot	<i>Monarda fistulosa</i>	5

Conservation Halton Early Succession/Riparian Mix

Common Name	Botanical Name	Percentage of Mix (%)
Black Eyed Susan	<i>Rudbeckia hirta</i>	5
Blue Vervain	<i>Verbena hastata</i>	10
Canada Anemone	<i>Anemone canadensis</i>	1
Canada Goldenrod	<i>Solidago canadensis</i>	4
Little Bluestem	<i>Schizachyrium scoparium</i>	10
Common Milkweed	<i>Asclepias syriaca</i>	5
Fowl Bluegrass	<i>Poa palustris</i>	25
Meadow/Open Field Sedge	<i>Carex granularis</i>	20
New England Aster	<i>Symphyotrichum novae-angliae</i>	1
Path Rush	<i>Juncus tenuis</i>	10
Purple Stemmed Aster	<i>Symphyotrichum puniceum</i>	1
Virgins Bower	<i>Clematis virginiana</i>	4
Wild Bergamot	<i>Monarda fistulosa</i>	4

Conservation Halton Meadow Marsh Mix

Common Name	Botanical Name	Percentage of Mix (%)
Bebbs Sedge	<i>Carex bebbi</i>	1
Blue Lobelia	<i>Lobelia siphilitica</i>	1
Blue Vervain	<i>Verbena hastata</i>	15
Boneset	<i>Eupatorium perfoliatum</i>	2
Dark Green Bulrush	<i>Scirpus atrovirens</i>	5
Fox Sedge	<i>Carex vulpinoidea</i>	25
Grass Leaved Goldenrod	<i>Euthamia graminifolia</i>	1
Meadow/Open Field Sedge	<i>Carex granularis</i>	10
Purple Stemmed Aster	<i>Symphotrichum puniceum</i>	1
Soft Rush	<i>Juncus effusus</i>	5
Spotted Joe Pye Weed	<i>Eupatorium maculatum</i>	2
Monkey Flower	<i>Mimulus ringens</i>	1
Stalk Grain Sedge	<i>Carex stipata</i>	2
Tall Manna Grass	<i>Glyceria grandis</i>	2
Woolgrass	<i>Scirpus cyperinus</i>	2
Fowl Bluegrass	<i>Poa palustris</i>	25

Seed Mix Application Rate:

Conservation Halton recommends an application rate of 25-30kg/ha.

Nurse Crop:

Each seed mix should include a nurse crop which creates short term erosion control and weed control, while allowing the native species to establish.

Conservation Halton does not support the use of Annual Rye (*Lolium multiflorum*) as a nurse crop. Recent research indicates that Annual Rye can inhibit the growth of other species thereby hindering the establishment of native vegetation. It can also be confused with and potentially hybridize with Perennial Rye (*Lolium perenne*).

As per our Landscaping and Tree Preservation Plan Guidelines, acceptable nurse crop species include Canada Wild Rye (*Elymus canadensis*), Virginia Wild Rye (*Elymus virginicus*), Annual Oats (*Avena sativa*) and Buckwheat (*Fagopyrum esculentum*).

Nurse Crop Application Rate: We recommend an application rate of 22kg/ha.